



Installation Manual

Compatibility

Compatibility is easy. Our device needs a boat with a working battery. Once installed on your boat, you can monitor and control your boat from anywhere you have internet access. That's it.

Yes, that's really it!

Boat Command CONNECT! is available as an app for your Android phone, your iPhone, and your Android or iOS tablet. You can also connect with your boat from your web browser on your computer.

For more details and updates go to our website, boatcommand.com.

Get more detailed information for installing our device on your boat at boatcommand.com/manual. You'll find help for adding a shore power sensor, controlling your boat's lights, bilge pump, or refrigerator, setting up door sensors, and more!

Contents

This installation manual is designed to help you with the two fundamental steps of installation: install the monitoring software, and then wire your boat to the CONNECT! device.

Part 1

Install Boat Command
CONNECT!


- Install app
- Subscribe



Part 2

Install the hardware
device on your boat

- Basic installation
- Add bilge monitoring



Step 1

Install CONNECT! App

The Boat Command CONNECT! app is free. This makes it easy for you, your family, and your friends to all connect to the boat and with each other.

Go to boatcommand.com/android for the Android app.

or

Go to boatcommand.com/apple for the iPhone or iPad app.

or

Go to connect.boatconnect.com on your web browser.



Step 2

Sign Up

Now that you have the app installed, you need to set up an account for yourself. It's as easy as 1-2-3.

1. Go to connect.boatconnect.com on your web browser.
2. Click on [sign up](#).
3. Enter your email address and choose a password.

You will now receive an email and confirm that you have signed up, following the directions from our email.

You can also use your Android app to sign up and subscribe.

TIP!

You can use Safari on your iPhone or iPad to sign up and subscribe. When you go to connect.boatconnect.com it will prompt you to Download App. Click on "Continue to website anyway" and proceed from there.

Step 3

Add Your Boat

Next, add your boat. This ties your boat to your account.

You may have already subscribed. If so, you will simply add your boat name and the device code at this time. If you have not already subscribed, CONNECT! will prompt you for a payment method.

Once you've added your boat and your subscription to Boat Command CONNECT! service is complete you are ready to install the device on your boat.

TIP!


After adding your boat and subscribing, you can begin adding shared users. Invite friends and family to share your boat connection. They can use our free app and share your CONNECT! at no cost whatsoever.

Step 4

Basic Installation

Connect the harness to your main battery.

Connect the long red and black leads to the main battery on your boat.



TIP!

You can connect your Boat Command CONNECT! device to any battery or battery bank that you choose. Whichever you connect your main red and black leads to will become the source of voltage that you will monitor as battery #1

Many boats will have optional places to access 12 volts or 24 volts from a battery or a set of house batteries.

Step 4 (continued)

Basic Installation

Fit the harness into the CONNECT! device. Then mount the device in a dry area on the boat. You can use zip ties or electrical tape to keep the unit secure.

That's it, you are finished. Now fire up your app and check on your boat!

TIP!

When first connecting the harness to the device you should observe small lights on the device. If these lights are not on or blinking, you may need to check your connections to your battery.

TIP!

Remember the four-digit device key code (i.e. A-123) on the label.




Color Code Quick Reference

Purpose	Description	PIN	Color		
Bilge counter	To positive side of bilge pump	3	Blue		
High water	To high water switch	12	Orange		
Entry alert	To	6	Violet		
Bilge counter #2	To positive side bilge switch #2	7	Gray		
Battery #2	To battery #2	5	Pink		
Shore power (requires optional dc adapter)	To dc adapter positive lead	8	White		
	To dc adapter negative lead	16	Black		
Temperature (requires optional temperature sensor)	To temp. sensor: black	19	Black		
	To temp. sensor: yellow	17	White/Blue		
	To temp. sensor: red	9	Orange		
Control 1	Relay Input	2	Green		
Control 2	Relay Input	10	Brown		
Control 3	Relay Input	11	Yellow		

Monitor Bilge Activity

Many boat owners will want to keep track of bilge activity. Boat Command CONNECT! will keep track of the frequency and duration of bilge activity on your boat.

To hook up your device to your bilge, connect the blue wire from your harness to the positive side of your bilge pump. You can test this by turning on your bilge and then checking your CONNECT! app or website. There will normally be about a 30 second delay.



**A typical bilge system.
Connect the blue wire
to the positive side of
the bilge pump.**

Set Up Alerts

Have Boat Command CONNECT! alert you of situations before they become dire.

CONNECT! can alert you via email, text message, or app alert.

CONNECT! alerts are very flexible. Set up your alerts in Account settings. There you can choose an email address or phone number to receive the alerts. Plus, any shared user may choose to receive alerts for a boat.

Individual alert settings may be found in the detail pages. For instance, to change your bilge activity alert options, touch or click "bilge pump." This will take you to bilge pump details. From there you can personalize (or would it be vesselize?) your settings.



Enjoy!

We thank you for being our customer.

More than anything, we want Boat Command CONNECT! To help you enjoy worry-free boating experiences.

Please contact us with any questions or problems. But also, please contact us and tell us how you are using CONNECT!

Email: dannytabor@boatcommandky.com

Or call
270-622-0527

